

# GEORGIA MEDICAID FEE-FOR-SERVICE TOBACCO CESSATION PA SUMMARY

Preferred	Non-Preferred
Bupropion [smoking deterrent] SR 150 mg generic	Nicotrol Inhaler (nicotine)
Chantix (varenicline)	Nicotrol Nasal Spray (nicotine)
Nicotine gum generic	
Nicotine lozenge generic	
Nicotine transdermal patch generic	

## **LENGTH OF AUTHORIZATION:** 12 weeks (84 days)

### **NOTES:**

- ❖ Preferred Chantix and over-the-counter (OTC) medications (nicotine gum, lozenge and patch generics) do not require prior authorization (PA) for the 1<sup>st</sup> 12 weeks (84 days) but do require PA for the 2<sup>nd</sup> 12 weeks (84 days). Up to a maximum of 24 weeks (168 days) per year is allowed. Preferred and non-preferred prescription medications (bupropion [smoking deterrent] generic, Nicotrol Inhaler and Nicotrol Nasal Spray) require PA for the 1<sup>st</sup> 12 weeks (84 days) and for the 2<sup>nd</sup> 12 weeks (84 days). Up to a maximum of 24 weeks (168 days) per year is allowed.
- ❖ Initial PA requests must be requested by the completed and signed Tobacco Cessation PA Request Form and cannot be requested by phone. The Tobacco Cessation PA Request Form must be completed and submitted by fax by the physician or physician's office and signed by the physician (stamped signatures are not allowed). Telephonic submissions of the Tobacco Cessation PA Request Form are not allowed. The form is located at http://dch.georgia.gov/pharmacy → Prior Authorization Process and Criteria → Tobacco Cessation PA Request Form.
- Repeat PA requests may be requested by phone or PA request form.

### PA CRITERIA:

Bupropion [Smoking Deterrent] SR 150 mg Generic

Member must continue smoking/tobacco cessation counseling and be routinely monitored through face-to-face counseling while on pharmacotherapy

**AND** 

Member must not have a diagnosis or prior history of seizure disorder or risk, bulimia, or anorexia nervosa.

Chantix, Nicotine Gum, Lozenge and Patch Generics

Member must continue smoking/tobacco cessation counseling and be routinely monitored through face-to-face counseling while on pharmacotherapy

AND

❖ Member must have completed at least 12 weeks of therapy and was not able to stop smoking/tobacco use.



\*

## Nicotrol Inhaler and Nicotrol Nasal Spray

Member must continue smoking/tobacco cessation counseling and be routinely monitored through face-to-face counseling while on pharmacotherapy

AND

❖ Member must have tried and failed therapy with at least two preferred smoking/tobacco cessation products for at least 12 weeks.

### **EXCEPTIONS:**

- Exceptions to these conditions of coverage are considered through the prior authorization process.
- ❖ The Prior Authorization process must be initiated by completing the Tobacco Cessation Prior Authorization Request Form and faxing to OptumRx at 1-888-491-9742. The form can be found at <a href="http://dch.georgia.gov/pharmacy">http://dch.georgia.gov/pharmacy</a> Prior Authorization Process and Criteria → Tobacco Cessation PA Request Form.

#### PREFERRED DRUG LIST:

❖ For online access to the Preferred Drug List (PDL), please go to <a href="http://dch.georgia.gov/preferred-drug-lists">http://dch.georgia.gov/preferred-drug-lists</a>.

#### PA and APPEAL PROCESS:

❖ For online access to the PA process, please go to <a href="http://dch.georgia.gov/prior-authorization-process-and-criteria">http://dch.georgia.gov/prior-authorization-process-and-criteria</a> and click on Prior Authorization (PA) Request Process Guide.

# **QUANTITY LEVEL LIMITATIONS:**

For online access to the Quantity Level Limits (QLL), please go to <a href="https://www.mmis.georgia.gov/portal">https://www.mmis.georgia.gov/portal</a>, highlight Provider Information and click on Provider Manuals. Scroll to the page with Pharmacy Services and select that manual.