

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>The Child's Access to Care</b>														
Childrens and Adolescents Access to Primary Care Providers - 12 - 24 Months	91.6%	92.38%	93.36%	93.6%	94.17%	94.71%	93.4%	94.34%	94.69%					91.42%
Childrens and Adolescents Access to Primary Care Providers 25 Mths - 6 Yrs	84.0%	84.60%	86.39%	86.5%	86.27%	87.18%	85.9%	85.29%	86.74%					80.99%
Childrens and Adolescents Access to Primary Care Providers - 7 - 11 Years	84.2%	84.51%	85.92%	88.1%	88.52%	88.76%	87.5%	87.51%	88.34%					84.51%
Childrens and Adolescents Access to Primary Care Providers - 12 - 19 Years	77.0%	77.31%	78.56%	84.4%	85.42%	86.10%	83.3%	83.71%	84.82%					77.75%
Childrens and Adolescents Access to Primary Care Providers - 12 Mos-19 Yrs (Total)	80.9%	81.32%	82.70%	86.9%	87.20%	87.81%	86.1%	86.10%	87.15%					80.77%
<b>The Well Child Visit</b>														
Well-Child Visits in the First 15 Months of Life - 6 or More Visits	20.0% Adm 27.5% Hyb	23.22% Adm 24.33% Hyb	25.63% Adm 30.9% Hyb	49.2% Adm 58.7% Hyb	46.71% Adm 62.66% Hyb	52.92% Adm 64.32% Hyb	45.5% Adm 48.9% Hyb	43.18% Adm 56.93% Hyb	49.49% Adm 58.39% Hyb					44.76% Adm 48.66% Hyb
Well-Child Visits in the Third, Fourth, Fifth, and Sixth Years of Life	53.4% Adm 54.6% Hyb	53.20% Adm 57.80% Hyb	52.80% Adm 57.32% Hyb	61.0% Adm 68.1% Hyb	61.31% Adm 68.17% Hyb	63.09% Adm 69.64% Hyb	59.6% Adm 60.8% Hyb	57.86% Adm 57.32% Hyb	61.51% Adm 60.00% Hyb					56.33% Adm 56.30% Hyb
Developmental Screening in the First Three Years of Life (Total)		20.58% Adm	29.97% Adm 37.23% Hyb		22.4% Adm	34.36% Adm 38.43% Hyb		21.58% Adm	33.86% Adm 36.01% Hyb					33.29% Adm 34.55% Hyb
Lead Screening in Children	52.9% Adm 56.7% Hyb	60.67% Adm 65.45% Hyb	63.38% Adm 67.40% Hyb	64.3% Adm 75.5% Hyb	71.97% Adm 74.72% Hyb	75.27% Adm 78.32% Hyb	61.8% Adm 69.1% Hyb	68.76% Adm 72.02% Hyb	72.12% Adm 72.99% Hyb					65.43% Adm 68.61% Hyb
Childhood Immunization Status - Combo 3	9.0% Adm 47.0% Hyb	10.41% Adm 52.80% Hyb	11.80% Adm 54.50% Hyb	11.3% Adm 79.5% Hyb	11.71% Adm 79.19% Hyb	15.03% Adm 82.38% Hyb	10.6% Adm 42.3% Hyb	11.27% Adm 58.39% Hyb	14.46% Adm 34.55% Hyb					12.65% Adm 53.53% Hyb
Adolescent Well-Care Visits	24.3% Adm 23.1% Hyb	24.95% Adm 30.66% Hyb	27.10% Adm 31.87% Hyb	36.4% Adm 41.2% Hyb	40.83% Adm 49.97% Hyb	42.13% Adm 46.24% Hyb	33.7% Adm 35.8% Hyb	35.70% Adm 39.90% Hyb	38.96% Adm 40.15% Hyb					34.00% Adm 38.44% Hyb
Human Papillomavirus Vaccine for Female Adolescents		11.44% Adm 11.68% Hyb	12.16% Adm 16.79% Hyb		16.08% Hyb	18.02% Adm 21.41% Hyb		15.11% Adm 16.30% Hyb	16.65% Adm 20.44% Hyb					13.46% Adm 15.09% Hyb
Immunization for Adolescents - Combo 1	46.8% Adm 56.0% Hyb	56.83% Adm 66.18% Hyb	57.62% Adm 60.39% Hyb	56.9% Adm 69.7% Hyb	69.96% Adm 71.17% Hyb	68.50% Adm 76.47% Hyb	54.4% Adm 61.1% Hyb	66.27% Adm 69.23% Hyb	65.99% Adm 67.11% Hyb					58.74% Adm 63.70% Hyb
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - BMI Percentile (Total)	3.3% Adm 22.9% Hyb	4.92% Adm 27.25% Hyb	12.29% Adm 28.71% Hyb	4.5% Adm 42.5% Hyb	7.15% Adm 41.47% Hyb	18.04% Adm 49.36% Hyb	4.4% Adm 21.9% Hyb	6.99% Adm 28.22% Hyb	17.33% Adm 30.17% Hyb					14.21% Adm 31.14% Hyb
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Nutrition (Total)	1.6% Adm 49.6% Hyb	1.97% Adm 37.47% Hyb	6.24% Adm 32.12% Hyb	1.0% Adm 49.7% Hyb	3.07% Adm 54.90% Hyb	9.13% Adm 58.82% Hyb	1.1% Adm 53.3% Hyb	2.87% Adm 43.07% Hyb	8.73% Adm 44.28% Hyb					7.11% Adm 38.44% Hyb
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents - Counseling for Physical Activity (Total)	0.3% Adm 31.9% Hyb	1.31% Adm 27.74% Hyb	5.25% Adm 24.82% Hyb	0.6% Adm 36.8% Hyb	2.42% Adm 43.02% Hyb	8.30% Adm 51.52% Hyb	0.6% Adm 36.7% Hyb	2.30% Adm 31.14% Hyb	7.89% Adm 37.96% Hyb					6.46% Adm 31.87% Hyb

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>The Sick Child Visit</b>														
Appropriate Testing for Children with Pharyngitis	68.7%	71.24%	72.75%	72.2%	77.47%	76.50%	71.8%	74.91%	76.11%					75.44%
Appropriate Treatment for Children with URI	76.3%	79.26%	80.94%	78.1%	82.79%	81.95%	77.9%	80.73%	81.91%					81.49%
Follow-Up Care for Children Prescribed ADHD Medication - Initiation Phase	33.4%	31.68%	33.58%	36.3%	35.73%	35.74%	35.8%	34.60%	35.21%					36.62%
Follow-Up Care for Children Prescribed ADHD Medication - Continuation and Maintenance Phase	41.7%	42.30%	45.32%	49.9%	48.32%	48.76%	47.7%	45.64%	47.27%					45.08%
<b>The Child's Dental Visit</b>														
Annual Dental Visit - Ages 2-3 Years	39.5%	41.47%	42.20%	47.2%	48.03%	47.79%	44.8%	46.69%	45.61%					42.48%
Annual Dental Visit - Ages 4-6 Years	64.1%	64.69%	64.03%	76.3%	77.08%	76.27%	73.9%	74.53%	74.00%					70.50%
Annual Dental Visit - Ages 7-10 Years	65.5%	65.49%	65.98%	79.0%	79.49%	79.10%	76.6%	76.78%	76.58%					70.99%
Annual Dental Visit - Ages 11-14 Years	59.6%	59.43%	59.54%	71.4%	71.95%	71.68%	68.9%	69.33%	69.04%					65.88%
Annual Dental Visit - Ages 15-18 Years	49.9%	50.34%	50.34%	60.1%	61.11%	60.99%	57.6%	58.57%	58.49%					57.50%
Annual Dental Visit - Ages 19-21 Years	30.2%	30.04%	29.55%	39.4%	38.92%	35.02%	33.1%	33.33%	30.32%					30.53%
Annual Dental Visit - Total	54.0%	54.52%	54.70%	68.8%	69.77%	69.47%	65.7%	66.64%	66.35%					60.79%
<b>Adult Access to Care and Screening</b>														
Adults Access to Preventive/Ambulatory Health Services - 20-44 Years	75.2%	74.69%	78.27%	85.0%	84.75%	84.02%	80.5%	80.57%	81.63%	80.56%	81.63%	92.89%	92.45%	49.72%
Adults Access to Preventive/Ambulatory Health Services - 45-64 Years		87.82%	89.04%		90.27%	90.55%		88.07%	89.19%	88.07%	89.19%	91.95%	93.69%	
Adults Access to Preventive/Ambulatory Health Services - 65+ Years		86.23%	86.26%		66.67%	NA		86.23%	86.26%	86.23%	86.26%	85.69%	85.51%	
Adult BMI Assessment		7.64%	12.01% Adm 55.23% Hyb		6.69%	14.71% Adm 76.50% Hyb		7.54% Adm 38.20% Hyb	12.53% Adm 50.61% Hyb	7.54% Adm 39.66% Hyb	12.53% Adm 51.82% Hyb	10.33% Adm 46.72% Hyb	13.67% Adm 54.99% Hyb	3.07% Adm 40.15% Hyb
Chlamydia Screening for Women (Total)	41.2%	41.34%	43.42%	47.1%	51.56%	50.11% Adm	49.5%	50.59%	51.55%	52.50%	58.13%	N/A	N/A	50.29%
Cervical Cancer Screening (Age 21 - 64)	29.5% Adm 34.8% Hyb	33.23% Adm 40.39% Hyb	32.85% Adm 35.77% Hyb	69.6% Adm 69.4% Hyb	70.86% Adm 72.70% Hyb	69.61% Adm 72.83% Hyb	44.8% Adm 51.1% Hyb	49.42% Adm 50.85% Hyb	48.84% Adm 51.58% Hyb	49.41% Adm 50.61% Hyb	48.83% Adm 52.55% Hyb	13.21% Adm 17.27% Hyb	11.74% Adm 19.95% Hyb	
Breast Cancer Screening (Age 40 – 69)	37.0%	31.98%	31.49%	54.5%	56.49%	72.90%	38.3%	34.53%	32.88%	34.53%	32.88%	18.64%	16.97%	
Colorectal Cancer Screening (Age 50 - 75)	24.4%	31.63%	26.16% Adm 28.22% Hyb			36.78% Adm		32.12%	26.44% Adm 28.95% Hyb	32.1%	26.44% Adm 26.03% Hyb	33.82%	27.02% Adm 34.79% Hyb	
Annual HIV/AIDS Medical Visit - Visits 90 Days Apart		56.29%	58.22%		43.79%	39.02%		54.01%	55.46%	54.04%	55.53%	59.46%	65.85%	68.18%*
Annual HIV/AIDS Medical Visit - Visits 180 Days Apart		43.05%	43.69%		25.18%	23.87%		40.79%	41.32%	40.81%	41.37%	51.35%	51.22%	31.82%*
Care Transition - Transition Record Transmitted to Health Care Professional		0.00%	0.73%		0.00%	0.00%		0.00%	0.00%	0.00%	0.29%	0.00%	0.84%	0.00%

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Pregnancy and Birth Outcomes</b>														
Weeks of Pregnancy at Time of Enrollment <0 Weeks	7.8%	7.80%	21.65%	10.6%	9.71%	9.87%	9.9%	10.57%	11.07%					79.10%
Weeks of Pregnancy at Time of Enrollment 1 - 12 Weeks	0.7%	0.82%	2.35%	7.9%	9.46%	10.33%	6.2%	17.92%	9.52%					7.34%
Weeks of Pregnancy at Time of Enrollment 13 - 27 Weeks	2.0%	2.60%	9.21%	57.8%	57.19%	62.35%	44.6%	36.59%	56.94%					7.91%
Weeks of Pregnancy at Time of Enrollment 28 or More Weeks	81.0%	80.50%	61.36%	15.4%	15.49%	15.69%	30.9%	26.71%	20.34%					4.52%
Weeks of Pregnancy at Time of Enrollment - Unknown	8.6%	8.28%	5.44%	8.3%	8.14%	1.75%	8.4%	8.22%	2.13%					1.13%
Prenatal and Postpartum Care Timeliness of Prenatal Care	50.1% Adm 63.7% Hyb	53.06% Adm 64.72% Hyb	41.75% Adm 48.42% Hyb	37.2% Adm 84.5% Hyb	37.54% Adm 85.00% Hyb	35.03% Adm 81.68% Hyb	39.8% Adm 52.3% Hyb	44.46% Adm 68.61% Hyb	29.65% Adm 46.83% Hyb	52.69% Adm 72.02% Hyb	38.78% Adm 51.34 Hyb			39.74% Adm 48.34% Hyb
Prenatal and Postpartum Care Postpartum Care	24.6% Adm 45.5% Hyb	25.96% Adm 48.18% Hyb	19.83% Adm 34.06% Hyb	37.9% Adm 63.3% Hyb	39.16% Adm 64.31% Hyb	36.58% Adm 62.24% Hyb	36.6% Adm 55.0% Hyb	37.72% Adm 56.45% Hyb	27.29% Adm 40.49% Hyb	37.71% Adm 64.96% Hyb	26.72% Adm 37.41% Hyb			17.22% Adm 37.09% Hyb
Frequency of Ongoing Prenatal Care < 21 %	42.9% Adm 18.5% Hyb	44.41% Adm 36.50% Hyb	57.91% Adm 38.20% Hyb	57.4% Adm 14.4% Hyb	58.23% Adm 11.21% Hyb	59.83% Adm 12.11% Hyb	56.4% Adm 20.2% Hyb	56.38% Adm 35.77% Hyb	68.24% Adm 48.66% Hyb	46.72% Adm 36.25% Hyb	61.14% Adm 33.74% Hyb			59.60% Adm 32.00% Hyb
Frequency of Ongoing Prenatal Care 21 - 40 %	35.1% Adm 17.3% Hyb	31.97% Adm 5.84% Hyb	23.15% Adm 13.14% Hyb	23.8% Adm 4.4% Hyb	22.67% Adm 4.71% Hyb	21.21% Adm 7.05% Hyb	22.9% Adm 10.7% Hyb	25.02% Adm 2.68% Hyb	16.30% Adm 15.65% Hyb	34.49% Adm 2.43% Hyb	23.26% Adm 13.69% Hyb			19.87% Adm 15.33% Hyb
Frequency of Ongoing Prenatal Care 41 - 60%	11.5% Adm 14.6% Hyb	14.24% Adm 10.22% Hyb	10.41% Adm 9.98% Hyb	8.8% Adm 6.5% Hyb	8.88% Adm 6.45% Hyb	7.99% Adm 6.79% Hyb	8.6% Adm 7.8% Hyb	8.23% Adm 5.60% Hyb	6.29% Adm 7.33% Hyb	10.10% Adm 4.38% Hyb	7.86% Adm 9.29% Hyb			13.91% Adm 15.33% Hyb
Frequency of Ongoing Prenatal Care 61 - 80%	6.1% Adm 17.3% Hyb	5.41% Adm 9.25% Hyb	4.81% Adm 9.98% Hyb	4.3% Adm 12.1% Hyb	4.40% Adm 13.53% Hyb	4.21% Adm 13.55% Hyb	4.1% Adm 10.5% Hyb	3.72% Adm 12.90% Hyb	3.07% Adm 5.87% Hyb	4.65% Adm 9.49% Hyb	3.73% Adm 10.51% Hyb			4.64% Adm 18.00% Hyb
Frequency of Ongoing Prenatal Care 81+ %	4.4% Adm 32.4% Hyb	3.97% Adm 38.20% Hyb	3.72% Adm 28.71% Hyb	5.7% Adm 62.6% Hyb	5.82% Adm 64.11% Hyb	6.76% Adm 60.50% Hyb	8.0% Adm 50.9% Hyb	6.65% Adm 43.07% Hyb	6.10% Adm 22.49% Hyb	4.05% Adm 47.45% Hyb	4.02% Adm 32.76% Hyb			1.99% Adm 19.33% Hyb
Behavioral Health Risk Assessment for Pregnant Women			12.4%			5.1%			13.87%		11.9%			0.00% Adm 17.27% Hyb
Rate of Infants with Low Birth Weight ‡	8.8%	8.52%	10.34%	8.4%	8.59%	8.92%	8.5%	8.44%	9.18%	8.45%				28.63%
Cesarean Delivery Rate ‡	26.0%	27.48%	31.08%	30.4%	31.25%	31.88%	29.4%	29.58%	31.79%	29.59%	32.23%			21.26%
Cesarean Rate for Nulliparous Singleton Vertex c	12.6%	12.72%	16.94%	17.6%	19.07%	18.02%	16.5%	16.68%	18.11%	16.68%	18.21%			21.36%
Elective Delivery		28.47%	30.06%		34.29%	17.63%		33.79%	33.76%	33.81%	34.01% Adm 22.50% Hyb			25.00%* Adm 16.67%* Hyb
Antenatal Steroids		4.11%	1.37%		4.70%	0.00%		4.00%	0.21%	4.02%	0.22% Adm 10.95% Hyb			NA

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Disease State - Asthma</b>														
Use of Appropriate Medications for People with Asthma - Ages 5 - 11 Years	93.0%	90.51%	91.71%	91.5%	89.54%	92.32%	91.4%	89.69%	91.80%					91.39%
Use of Appropriate Medications for People with Asthma - Ages 12 - 18 Years	90.4%	85.41%	90.77%	89.3%	87.36%	88.67%	89.2%	86.76%	88.48%					87.18%
Use of Appropriate Medications for People with Asthma - Ages 19 - 50 Years	72.5%	68.50%	68.20%	72.2%	70.71%	72.77%	72.3%	69.28%	70.06%	69.17%	69.96%			82.93%
Use of Appropriate Medications for People with Asthma - Ages 51 - 64 Years	66.9%	64.90%	63.33%	77.6%	68.42%	81.13%	67.6%	65.36%	64.17%	65.36%	64.17%			NA
Use of Appropriate Medications for People with Asthma - Total	82.9%	79.68%	80.28%	90.0%	88.11%	90.06%	88.0%	85.89%	87.31%	84.29%	69.69%			88.89%
Adult Asthma Admission Rate per 100,000 (AHRQ PQI 15) †	85.4	545.98		90.3	59.16		120.0	441.15		454.74		726.46		
Asthma in Younger Adults Admission Rate (Total Visits/100,000 Member Months) - Ages 18 - 39			16.84			6.36			10.49		10.92		0.00	0.00
Annual Percentage of Asthma Patients with One or More Asthma-Related ER Visit -Ages 2-20 Years c	13.9%	17.01%	NA	11.3%	13.51%	NA	11.9%	12.81%	NA					
<b>Disease State - Diabetes</b>														
Diabetes Short Term Complication Admission Rate per 100,000 (AHRQ PQI 01) †	212.0	344.13		99.6	95.24		213.5	309.12		316.98		264.17		
Diabetes Short Term Complication Admission Rate per 100,000 Member Months			38.99			16.66			30.90		31.39		24.58	4.92
Comprehensive Diabetes Care (18 - 75 Year olds) HbA1c Testing	47.4% Adm 61.9% Hyb	54.04% Adm 60.22% Hyb	58.08% Adm 67.88% Hyb	72.6% Adm 79.4% Hyb	73.77% Adm 79.03% Hyb	75.07% Adm 79.21% Hyb	49.4% Adm 60.9% Hyb	56.33% Adm 64.78% Hyb	59.92% Adm 64.96% Hyb	56.29% Adm 64.42% Hyb	59.89% Adm 66.06% Hyb	37.00% Adm 55.84% Hyb	43.29% Adm 62.59% Hyb	62.75% Adm 62.75% Hyb
Comprehensive Diabetes Care - HbA1c Poor Control >9.0 <i>Note: Lower rate is better</i>	98.7% Adm 62.8% Hyb	98.99% Adm 67.88% Hyb	97.66% Adm 72.99% Hyb	99.9% Adm 52.3% Hyb	99.70% Adm 54.30% Hyb	98.85% Adm 56.60% Hyb	98.8% Adm 67.9% Hyb	99.07% Adm 70.80% Hyb	97.80% Adm 78.83% Hyb	99.07% Adm 68.61% Hyb	97.79% Adm 77.74% Hyb	98.73% Adm 67.78% Hyb	96.55% Adm 62.96% Hyb	100.00% Adm 76.47% Hyb
Comprehensive Diabetes Care - HbA1c Good Control <8.0	0.9% Adm 31.0% Hyb	0.64% Adm 27.55% Hyb	1.47% Adm 22.99% Hyb	0.1% Adm 41.0% Hyb	0.21% Adm 39.05% Hyb	0.58% Adm 36.69% Hyb	0.9% Adm 27.0% Hyb	0.59% Adm 24.64% Hyb	1.37% Adm 17.70% Hyb	0.59% Adm 28.47% Hyb	1.37% Adm 18.43% Hyb	0.90% Adm 29.93% Hyb	2.71% Adm 30.47% Hyb	0.00% Adm 15.69% Hyb
Comprehensive Diabetes Care - HbA1c Better Control <7.0	0.7% Adm 20.3% Hyb	0.51% Adm 23.98% Hyb	1.21% Adm 20.51% Hyb	0.1% Adm 31.4% Hyb	0.24% Adm 30.70% Hyb	0.59% Adm 27.87% Hyb	0.6% Adm 18.0% Hyb	0.46% Adm 20.17% Hyb	1.08% Adm 14.47% Hyb	0.46% Adm 20.73% Hyb	1.08% Adm 14.40% Hyb	0.97% Adm 31.88% Hyb	2.83% Adm 20.00% Hyb	0.00% Adm 8.33% Hyb
Comprehensive Diabetes Care - Eye Exam	35.0% Adm 42.7% Hyb	36.96% Adm 42.70% Hyb	34.83% Adm 37.23% Hyb	39.8% Adm 46.6% Hyb	41.63% Adm 46.67% Hyb	36.90% Adm 43.20% Hyb	35.3% Adm 41.2% Hyb	35.42% Adm 40.69% Hyb	34.92% Adm 39.42% Hyb	35.40% Adm 39.05% Hyb	34.92% Adm 39.05% Hyb	35.81% Adm 41.61% Hyb	37.49% Adm 40.51% Hyb	39.22% Adm 41.18% Hyb
Comprehensive Diabetes Care - LDL-C Screening	39.1% Adm 59.1% Hyb	46.51% Adm 57.66% Hyb	49.78% Adm 60.04% Hyb	63.8% Adm 70.3% Hyb	66.48% Adm 70.00% Hyb	67.53% Adm 70.09% Hyb	41.0% Adm 53.5% Hyb	48.56% Adm 53.28% Hyb	51.61% Adm 58.21% Hyb	48.55% Adm 57.85% Hyb	51.62% Adm 58.21% Hyb	26.14% Adm 46.35% Hyb	31.77% Adm 53.83% Hyb	52.94% Adm 54.90% Hyb
Comprehensive Diabetes Care - LDL-C Level <100	1.2% Adm 25.9% Hyb	0.89% Adm 21.17% Hyb	2.28% Adm 15.88% Hyb	0.2% Adm 26.1% Hyb	0.24% Adm 25.87% Hyb	0.60% Adm 26.98% Hyb	1.2% Adm 19.9% Hyb	0.81% Adm 16.24% Hyb	2.10% Adm 15.33% Hyb	0.81% Adm 20.62% Hyb	2.10% Adm 13.87% Hyb	1.27% Adm 25.18% Hyb	3.15% Adm 25.36% Hyb	3.92% Adm 13.73% Hyb
Comprehensive Diabetes Care - Medical Attention to Nephropathy	54.2% Adm 69.2% Hyb	61.31% Adm 69.53% Hyb	61.10% Adm 68.61% Hyb	65.9% Adm 71.8% Hyb	68.01% Adm 73.32% Hyb	67.88% Adm 73.37% Hyb	55.1% Adm 66.2% Hyb	61.98% Adm 67.88% Hyb	61.82% Adm 65.15% Hyb	61.98% Adm 70.26% Hyb	61.84% Adm 66.61% Hyb	52.81% Adm 72.26% Hyb	52.82% Adm 72.26% Hyb	43.14% Adm 45.10% Hyb
Comprehensive Diabetes Care - Blood Pressure Control <140/80	1.1% Adm 31.9% Hyb	0.91% Adm 26.46% Hyb	0.72% Adm 17.15% Hyb	0.3% Adm 31.9% Hyb	0.33% Adm 29.10% Hyb	0.37% Adm 31.77% Hyb	1.0% Adm 18.6% Hyb	0.84% Adm 23.18% Hyb	0.68% Adm 14.96% Hyb	0.84% Adm 29.20% Hyb	0.68% Adm 15.15% Hyb	1.80% Adm 33.03% Hyb	1.25% Adm 32.48% Hyb	0.00% Adm 29.41% Hyb
Comprehensive Diabetes Care - Blood Pressure Control <140/90	1.5% Adm 42.5% Hyb	1.19% Adm 39.96% Hyb	1.00% Adm 25.18% Hyb	0.4% Adm 54.8% Hyb	0.60% Adm 52.97% Hyb	0.72% Adm 55.14% Hyb	1.4% Adm 27.2% Hyb	1.11% Adm 34.49% Hyb	0.96% Adm 25.00% Hyb	1.11% Adm 39.60% Hyb	0.96% Adm 23.18% Hyb	1.95% Adm 41.24% Hyb	1.54% Adm 43.80% Hyb	0.00% Adm 41.18% Hyb
Annual Pediatric Hemoglobin A1C Testing c	59.3%	75.52% Hyb		77.3%	74.14% Hyb		72.9%	77.49% Hyb						

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Disease State - Cardiovascular Conditions</b>														
Controlling High Blood Pressure (Age 18-85) - BP < 140/90		38.93% Hyb	27.74% Hyb	47.0% Hyb	47.19% Hyb	46.92% Hyb		35.04% Hyb	30.17% Hyb	32.36% Hyb	29.44% Hyb	44.04% Hyb	29.20% Hyb	29.41% Hyb
Persistence of Beta Blocker Treatment After a Heart Attack (Age 18 and Older)	59.8%	58.68%	59.20%	86.5%	80.77%	76.60%	61.4%	59.86%	60.45%	59.86%	60.69%	28.57%	N/A	
Congestive Heart Failure Admission Rate per 100,000 Member Months			277.82			5.00			178.96		182.79		353.22	
Congestive Heart Failure Admission Rate per 100,000 (AHRQ PQI 08) ‡	1569.6	5268.09		29.8	26.43		1294.8	3973.98		4099.24		3724.74		
<b>Disease State - Chronic Obstructive Pulmonary Disease</b>														
COPD Admission Rate per 100,000 (AHRQ PQI 05) ‡	2803.0	4884.12		239.9	75.52		2690.3	3711.77		3829.24		5402.19		
COPD Admission Rate per 100,000 Member Months			404.29			39.63			366.65		366.78		369.71	
Pharmacotherapy Management of COPD Exacerbation (Age 40 and Older) - Systemic Corticosteroids	33.6%	36.24%	34.44%	68.3%	70.78%		34.7%	37.37%	35.65%	37.37%	35.65%	7.55%	2.29%	
Pharmacotherapy Management of COPD Exacerbation (Age 40 and Older) - Bronchodilators	48.4%	49.85%	48.23%	83.6%	83.12%		49.4%	51.00%	49.26%	51.01%	49.24%	16.98%	9.92%	

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Behavioral Health</b>														
Follow-Up After Hospitalization for Mental Illness 7-Day Follow-Up	37.1%	40.17%	40.69%	45.9%	47.04%	47.59%	40.5%	42.81%	43.43%	41.93%	38.23%	35.90%	15.69%	56.56%
Follow-Up After Hospitalization for Mental Illness 30-Day Follow-Up	59.1%	61.26%	60.54%	67.6%	65.11%	68.89%	62.3%	63.00%	62.74%	62.05%	57.67%	53.85%	37.25%	78.47%
Screening for Clinical Depression and Follow Up Plan		0.01%	0.04% Adm 0.49% Hyb		0% Adm	0% Adm		0.01% Adm	0.03% Adm 0.00% Hyb	0.01% Adm	0.03% Adm 0.00% Hyb		0.07% Adm 0.24% Hyb	0.00% Adm 1.46% Hyb
Mental Health Utilization - Any Services		13.38%	18.20%		7.89%	8.33%		10.77%	11.24%	11.27%	15.48%	9.22%	11.08%	42.24%
Mental Health Utilization - Inpatient		2.56%	2.61%		0.41%	0.43%		1.06%	1.08%	1.17%	2.78%	1.75%	2.51%	2.08%
Mental Health Utilization - Intensive OP		0.07%	0.08%		0.14%	0.13%		0.10%	0.11%	0.10%	0.08%	0.02%	0.02%	0.39%
Mental Health Utilization - Outpt/ED		16.02%	16.82%		7.76%	8.22%		10.31%	10.78%	10.75%	14.00%	7.90%	9.29%	42.09%
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment - Initiation of Treatment	50.9%	43.36%	40.15%	43.8%	38.48%	35.62%	48.8%	41.49%	38.65%	41.58%	38.86%	42.58%	37.97%	36.68%
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment - Engagement of Treatment	6.2%	6.27%	4.72%	8.5%	7.31%	7.65%	7.1%	6.49%	5.67%	6.47%	5.07%	0.65%	0.00%	13.72%
<b>Utilization</b>														
Ambulatory Care - 1000 member months ER Visits	77.4	92.95	91.38	54.0	58.12	58.92	62.1	70.20	68.58	76.19	112.64	99.30	96.44	35.20
Ambulatory Care - 1000 member months OP Visits	415.4	462.91	457.75	321.8	343.01	342.10	354.3	382.10	376.54	394.30	495.88	659.49	667.55	263.93
Plan All-Cause Readmission (Age 18 and Older) Total	10.3	9.28%	10.11%	8.7	9.90%	9.93%	10.2	9.42%	10.18%	9.42%	10.17%	1.57%	2.01%	11.57%
Inpatient Utilization (general hospital/acute care) Total Inpt ALOS/ <1 y.o.	5.7 / 10.5	5.57 / 10.56	6.01 / 14.74	3.0 / 5.3	3.21 / 5.90	3.25 / 6.69	4.7 / 6.6	4.50 / 6.64	4.68 / 8.67	4.51	4.54	5.67	5.52	6.47
Inpatient Utilization (general hospital/acute care) Medicine ALOS/ <1 y.o.	4.9 / 4.9	4.52 / 5.01	4.57 / 5.86	3.2 / 3.7	3.44 / 4.08	3.57 / 4.57	4.7 / 4.0	4.28 / 4.07	4.35 / 4.85	4.30	4.55	4.69	4.55	4.75
Inpatient Utilization (general hospital/acute care) Surgery ALOS/ <1 y.o.	9.1 / 21.6	9.53 / 22.28	9.93 / 31.43	5.8 / 11.0	6.46 / 12.17	6.71 / 13.47	8.5 / 14.6	8.80 / 15.11	9.18 / 19.27	8.90	8.96	8.64	8.54	11.39
Inpatient Utilization (general hospital/acute care) Maternity ALOS	2.6	2.67	2.99	2.6	2.75	2.69	2.6	2.68	2.72	2.68	2.73	2.68	3.00	2.91
Antibiotic Utilization - % of antibiotics of concern of all antibiotic scrips - Total	NR	43.55%	43.89%	NR	40.93%	41.17%	NR	42.31%	41.82%	41.69%	40.53%	49.56%	49.65%	40.31%



## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Medication Management</b>														
Annual Monitoring for Patients on Persistent Medications (Age 18 and Older) - Total	84.6%	85.25%	87.10%	85.0%	87.52%	86.87%	84.7%	85.48%	87.02%	85.50%	87.04%	75.00%	77.38%	70.59%
Adherence to Antipsychotic Medications for Individuals with Schizophrenia		65.36%	64.62%		43.88%	37.55%		64.45%	63.64%	64.44%	63.64%	N/A	N/A	80.00%
Antidepressant Medication Management (Age 18 and Older) - Effective Acute Phase Treatment	56.4%	60.26%	51.63%	48.7%	53.36%	48.66%	54.5%	59.19%	52.04%	59.26%	52.10%	60.00%	29.73%	62.20%
Antidepressant Medication Management (Age 18 and Older) - Effective Continuation Phase Treatment	42.1%	47.19%	38.15%	30.0%	35.73%	31.47%	37.5%	43.43%	37.01%	43.50%	37.17%	30.00%	14.86%	40.24%
Medication Management for People with Asthma - 50% Compliance for Ages 5-11		67.47%	63.59%		49.66%	55.78%		53.85%	56.97%				N/A	67.86%
Medication Management for People with Asthma - 50% Compliance for Ages 12-18		67.98%	63.40%		47.06%	52.04%		52.56%	53.85%				N/A	63.73%
Medication Management for People with Asthma - 50% Compliance for Ages 19-50		68.17%	64.30%		53.36%	57.99%		62.55%	60.62%	62.40%	60.38%	N/A	N/A	44.12%
Medication Management for People with Asthma - 50% Compliance for Ages 51-64		73.68%	71.61%		76.92%	69.77%		73.13%	71.28%	73.13%	71.28%	N/A	N/A	NA
Medication Management for People with Asthma - 50% Compliance for All Ages		68.47%	64.75%		48.97%	54.57%		54.68%	56.69%	54.61%	62.42%	N/A	N/A	64.66%
Medication Management for People with Asthma - 75% Compliance for Ages 5-11		48.24%	41.78%		27.43%	31.78%		31.74%	33.21%				N/A	41.88%
Medication Management for People with Asthma - 75% Compliance for Ages 12-18		47.52%	42.05%		26.47%	28.85%		31.73%	31.19%				N/A	43.79%
Medication Management for People with Asthma - 75% Compliance for Ages 19-50		49.88%	44.66%		26.87%	28.01%		43.07%	38.47%	42.94%	38.31%	N/A	N/A	29.41%
Medication Management for People with Asthma - 75% Compliance for Ages 51-64		55.06%	52.79%		57.69%	48.84%		54.48%	52.62%	54.48%	52.62%	N/A	N/A	NA
Medication Management for People with Asthma - 75% Compliance for All Ages		49.21%	43.98%		27.18%	30.65%		33.27%	33.58%	33.58%	41.13%	N/A	N/A	42.13%

## Georgia Medicaid Performance Measure Report For CY2011 Through CY2013

	2011 FFS	2012 FFS	2013 FFS	2011 GA Families	2012 GA Families	2013 GA Families	2011 ALL	2012 ALL	2013 ALL	2012 Adult Only <sup>4</sup>	2013 Adult Only <sup>4</sup>	2012 CCSP <sup>5</sup>	2013 CCSP <sup>5</sup>	2013 FCAAJJ <sup>6</sup>
<b>Membership Characteristics</b>														
Race/Ethnicity Diversity of Membership - White	39.1%	32.47%	36.01%	43.5%	34.33%	43.57%	40.9%	34.58%	39.24%	34.55%	31.24%	56.93%	56.62%	44.89%
Race/Ethnicity Diversity of Membership - Black	44.5%	51.68%	45.05%	46.6%	61.20%	46.63%	45.4%	54.13%	45.32%	54.15%	46.91%	40.84%	42.10%	50.73%

\*Less than 30 individuals in the denominator

Measures reported use HEDIS specifications unless otherwise specified

<sup>1</sup> FFS - includes Medicaid and PeachCare for Kids<sup>®</sup> members not enrolled in the GA Families CMOs

<sup>2</sup> GA Families - includes Medicaid and PeachCare for Kids<sup>®</sup> members enrolled in the GA Families managed care program during the reporting period including those who may have switched plans during the reporting period

<sup>3</sup> ALL - includes all FFS and GA Families members covered under the Medicaid and PeachCare for Kids<sup>®</sup> state plans

<sup>4</sup> Adult Only - includes members in ALL Medicaid population without the Title XXI children; includes non-dual CCSP members

<sup>5</sup> CCSP - includes all members enrolled in the Community Care Services Program home and community-based waiver including those who are dual Medicare/Medicaid

<sup>6</sup> FCAAJJ - includes all Foster Care, Adoption Assistance and certain Juvenile Justice members

∅ - CHIPRA Core Set Measure

‡ - AHRQ (Agency for Healthcare Research and Quality) Measure - Spec change for CY 13 data